Author Index, Volume 16

Able, K. W., 235
Alberts, J. J., 385
Alexander, C. R., 627
Allen, D. M., 840
Allen, J. R. L., 670, 678
Asselin, S., 830
Austin, H., 362

Baker, J. E., 383
Barnhart, R. A., 769
Benner, R., 391
Berounsky, V. M., 718
Blaylock, R. A., 255
Bopp, R. F., 608
Boumans, R. M. J., 375
Brandt, S. B., 142
Bratkovich, A., 92
Braun, K. R., 859
Bricker, S. B., 575, 589
Briones, E. E., 799
Broome, S. W., 851
Brown-Peterson, N. J., 177
Brownlee, D. C., 859
Brownlee, S. G., 859
Brush, G. S., 617
Bulger, A. J., 311
Bundy, M. H., 859
Burger, J., 809

Calder, F. D., 627
Cannon, G., 241
Capaldo, P. S., 784
Carter, J., 198
Chamberlain, R. H., 769
Chang, W. Y. B., 92
Chen, C. Z., 475
Chillrud, S. N., 608
Chiu, Y., 427
Christensen, E. R., 638
Church, T. M., 747
Coakley, J. P., 653, 873
Cooper, S. R., 617
Costanza, R., 919
Coston-Clements, L., 697
Cowan, J. H., Jr., 923

Das, B. K., 459
Day, J. W., Jr., 375
de la Lanza Espina, G., 273
Diaz, R. C., 683
Doering, P. H., 247
Domagalski, J. L., 416
Dyrssen, D., 446

Eames, R. W., 177

Filip, Z., 385
Fleeger, J. W., 760
Flegal, A. R., 547
Ford, S. E., 229
Forward, R. B., Jr., 241
Frederick, P. C., 216

Gardner, W. S., 799
Gelfenbaum, G., 40
Gerhart, D. J., 241
Geyer, W. R., 113
Gin, M. F., 638
Graham, W. M., 83
Grebmeier, J. M., 683

Hasler, S. E., 670
Hastings, R. W., 235
Haven, D. S., 362
Hayden, B. P., 311
Hoefnagels, M. H., 851
Houde, E. D., 161
Howarth, R. W., 433
Hunnings, W., 190
Hutchinson, S. E., 789

Ivanovich, M., 670

Jacobs, M., 241
Jasinska, E., 53

Kaegi, E. C., 799
Kennedy, V. S., 223
Kimmerer, W. J., 264
Kirby-Smith, W. W., 190
Koepfler, E. T., 391
Kong, A., 427
Krouse, C. W., 697
Krumgalz, B. S., 488
Kuivila, K. M., 416
Kuwabara, J. S., 383, 567

Lamothe, P. J., 496
Largier, J. L., 1
Larsen, I. L., 683
Lebo, M. E., 290
Ley, J. A., 703
Loftus, W. F., 216
Longworth, G., 670
Lu, Y. L., 475
Luettich, R. A., Jr., 190
Luoma, S. N., 559
Luther, G. W., III, 567

Marino, R., 433
McCormick-Ray, M. G., 311
Medina, M. A. R., 273
Moll, R. A., 92
Monaco, M. E., 311
Montagna, P. A., 391
Montague, C. L., 703
Montgomery, J., 323
Moustafa, M. S., 362
Mulholland, P. J., 683

Nagy, E., 653
Nelson, C. H., 496
Nelson, D. M., 311
Nichols, M. M., 683
Nixon, S. W., 718
Nowacek, D. P., 241
Nowicki, B. L., 247
Nowicki, S., 241

O'Donnell, J., 12
O'Herron, J. C., II, 235
Ogburn-Matthews, M. V., 840
Olsen, C. R., 683
Onuf, C. P., 302
Osgood, D. T., 815
Oviatt, C. A., 247

Pedersen, F. B., 104
Peters, D. S., 697
Peterson, B. J., 913
Peterson, M. S., 177
Pinckney, J., 887
Poulton, D. J., 873
Pu, P., 92

Qu, C. H., 475
Quammen, M. L., 302

Rae, J. E., 670, 678
Ramanathan, A. L., 459
Riedel, G. F., 521, 533
Robinson, D. W., 608
Rowe, G. T., 799
Ruckelshaus, M. H., 898
Rutherford, E. S., 161
Rutledge, P. A., 760
Rydene, D. A., 177

Salomons, W., 575
Sanders, J. G., 521
Sarabun, C. C., Jr., 68
Schaaf, W. E., 697
Schaffner, L. C., 683
Schropp, S. J., 627
Scudlark, J. R., 747
Sedberry, G. R., 198
Sellner, K. G., 859
Sérodes, J.-B., 653
Shafer, S. R., 851
Sharp, J. H., 290
Sharples, J., 74
Shiller, A. M., 541
Short, C. A., 323
Short, F. T., 323
Shultz, D. J., 405
Sigleo, A. C., 405
Simenstad, C. A., 898
Simpson, H. J., 608
Simpson, J. H., 74
Sklar, F. H., 789
Smith, G. J., 547
Smith, N. P., 739
Smith, R. G., 627
Spaulding, M. L., 830
Staine, K. J., 809
Staver, K. W., 346
Staver, L. W., 346
Stephens, J. A., 126
Stevenson, J. C., 346
Stokesbury, K. D. E., 827
Stokesbury, M. J. W., 827
Stumpf, R. P., 40
Subramanian, V., 453, 459
Sundberg, K., 223

Tan, Y. L., 427

Uncles, R. J., 126

Vaithiyanathan, P., 459
Valette-Silver, N. J., 575, 577
van Geen, A., 559
Van Den Berg, C. M. G., 512
Vaughan, D. S., 697
Von Damm, K. L., 683

Wahle, R. A., 731
Wang, L. Z., 475
Wargo, R. N., 229
Whitfield, A. K., 280
Windom, H. L., 627
Wissmar, R. C., 898
Wong, K.-C., 335

Yang, J. R., 475

Zhang, X., 638
Zieman, J. C., 815
Zimmermann, C. F., 323
Zingmark, R. G., 887
Zoppini, A., 247

© 1993 Estuarine Research Federation

0160-8347/93/0400926-01$01.50/0

Author Index, Volume 16

Able, K. W., 235
Alberts, J. J., 385
Alexander, C. R., 627
Allen, D. M., 840
Allen, J. R. L., 670, 678
Asselin, S., 830
Austin, H., 362

Baker, J. E., 383
Barnhart, R. A., 769
Benner, R., 391
Berounsky, V. M., 718
Blaylock, R. A., 255
Bopp, R. F., 608
Boumans, R. M. J., 375
Brandt, S. B., 142
Bratkovich, A., 92
Braun, K. R., 859
Bricker, S. B., 575, 589
Briones, E. E., 799
Broome, S. W., 851
Brown-Peterson, N. J., 177
Brownlee, D. C., 859
Brownlee, S. G., 859
Brush, G. S., 617
Bulger, A. J., 311
Bundy, M. H., 859
Burger, J., 809

Calder, F. D., 627
Cannon, G., 241
Capaldo, P. S., 784
Carter, J., 198
Chamberlain, R. H., 769
Chang, W. Y. B., 92
Chen, C. Z., 475
Chillrud, S. N., 608
Chiu, Y., 427
Christensen, E. R., 638
Church, T. M., 747
Coakley, J. P., 653, 873
Cooper, S. R., 617
Costanza, R., 919
Coston-Clements, L., 697
Cowan, J. H., Jr., 923

Das, B. K., 459
Day, J. W., Jr., 375
de la Lanza Espina, G., 273
Diaz, R. C., 683
Doering, P. H., 247
Domagalski, J. L., 416
Dyrssen, D., 446

Eames, R. W., 177

Filip, Z., 385
Fleeger, J. W., 760
Flegal, A. R., 547
Ford, S. E., 229
Forward, R. B., Jr., 241
Frederick, P. C., 216

Gardner, W. S., 799
Gelfenbaum, G., 40
Gerhart, D. J., 241
Geyer, W. R., 113
Gin, M. F., 638
Graham, W. M., 83
Grebmeier, J. M., 683

Hasler, S. E., 670
Hastings, R. W., 235
Haven, D. S., 362
Hayden, B. P., 311
Hoefnagels, M. H., 851
Houde, E. D., 161
Howarth, R. W., 433
Hunnings, W., 190
Hutchinson, S. E., 789

Ivanovich, M., 670

Jacobs, M., 241
Jasinska, E., 53

Kaegi, E. C., 799
Kennedy, V. S., 223
Kimmerer, W. J., 264
Kirby-Smith, W. W., 190
Koepfler, E. T., 391
Kong, A., 427
Krouse, C. W., 697
Krumgalz, B. S., 488
Kuivila, K. M., 416
Kuwabara, J. S., 383, 567

Lamothe, P. J., 496
Largier, J. L., 1
Larsen, I. L., 683
Lebo, M. E., 290
Ley, J. A., 703
Loftus, W. F., 216
Longworth, G., 670
Lu, Y. L., 475
Luettich, R. A., Jr., 190
Luoma, S. N., 559
Luther, G. W., III, 567

Marino, R., 433
McCormick-Ray, M. G., 311
Medina, M. A. R., 273
Moll, R. A., 92
Monaco, M. E., 311
Montagna, P. A., 391
Montague, C. L., 703
Montgomery, J., 323
Moustafa, M. S., 362
Mulholland, P. J., 683

Nagy, E., 653
Nelson, C. H., 496
Nelson, D. M., 311
Nichols, M. M., 683
Nixon, S. W., 718
Nowacek, D. P., 241
Nowicki, B. L., 247
Nowicki, S., 241

O'Donnell, J., 12
O'Herron, J. C., II, 235
Ogburn-Matthews, M. V., 840
Olsen, C. R., 683
Onuf, C. P., 302
Osgood, D. T., 815
Oviatt, C. A., 247

Pedersen, F. B., 104
Peters, D. S., 697
Peterson, B. J., 913
Peterson, M. S., 177
Pinckney, J., 887
Poulton, D. J., 873
Pu, P., 92

Qu, C. H., 475
Quammen, M. L., 302

Rae, J. E., 670, 678
Ramanathan, A. L., 459
Riedel, G. F., 521, 533
Robinson, D. W., 608
Rowe, G. T., 799
Ruckelshaus, M. H., 898
Rutherford, E. S., 161
Rutledge, P. A., 760
Rydene, D. A., 177

Salomons, W., 575
Sanders, J. G., 521
Sarabun, C. C., Jr., 68
Schaaf, W. E., 697
Schaffner, L. C., 683
Schropp, S. J., 627
Scudlark, J. R., 747
Sedberry, G. R., 198
Sellner, K. G., 859
Sérodes, J.-B., 653
Shafer, S. R., 851
Sharp, J. H., 290
Sharples, J., 74
Shiller, A. M., 541
Short, C. A., 323
Short, F. T., 323
Shultz, D. J., 405
Sigleo, A. C., 405
Simenstad, C. A., 898
Simpson, H. J., 608
Simpson, J. H., 74
Sklar, F. H., 789
Smith, G. J., 547
Smith, N. P., 739
Smith, R. G., 627
Spaulding, M. L., 830
Staine, K. J., 809
Staver, K. W., 346
Staver, L. W., 346
Stephens, J. A., 126
Stevenson, J. C., 346
Stokesbury, K. D. E., 827
Stokesbury, M. J. W., 827
Stumpf, R. P., 40
Subramanian, V., 453, 459
Sundberg, K., 223

Tan, Y. L., 427

Uncles, R. J., 126

Vaithiyanathan, P., 459
Valette-Silver, N. J., 575, 577
van Geen, A., 559
Van Den Berg, C. M. G., 512
Vaughan, D. S., 697
Von Damm, K. L., 683

Wahle, R. A., 731
Wang, L. Z., 475
Wargo, R. N., 229
Whitfield, A. K., 280
Windom, H. L., 627
Wissmar, R. C., 898
Wong, K.-C., 335

Yang, J. R., 475

Zhang, X., 638
Zieman, J. C., 815
Zimmermann, C. F., 323
Zingmark, R. G., 887
Zoppini, A., 247

© 1993 Estuarine Research Federation

0160-8347/93/0400926-01$01.50/0

Estuaries Vol. 16, No. 4, p. 927–931 December 1993

Subject Index, Volume 16

aboveground production, 815
Acanthurus bahianus, 198
Acanthurus chirurgus, 198
Acanthurus coeruleus, 198
Acartia, 264
Acartia californiensis, 264
Acartia hudsonica, 264
Acartia omorii, 264
Acartia tonsa, 264
Achirus lineatus, 177
Acipenser brevirostrum, 235
acoustic backscatter, 68
acoustic backscatter observation, 68
Advanced Very High Resolution Radiometry (AVHRR), 83
advection, 383, 405
aerial surveys, 255
algal biomass, 887
algal bloom, 521
alkalinity, 446
Altherinopsis californiensis, 769
aluminum, 873
Aluterus scriptus, 198
Ambergris Cay, Belize, 198
American lobster, 731
American oyster, 362
American shad, 161
amino acids, 405
ammonia, 273, 346, 446, 747, 799, 815
ammonium excretion, 799
Amphistichus rhodoterus, 769
Anacystis, 859
Anchoa hepsetus, 177, 840
Anchoa lylepis, 198
Anchoa mitchilli, 177, 840
anchovy, 769
Annapolis River, Nova Scotia, 827
anoxia, 446, 617
anoxic conditions, 405
anthropogenic perturbations, 547
anthropogenic trace metals, 488
Aphanizomenon, 859
Apogon aurolineatus, 198
Apogon binotatus, 198
Apogon planifrons, 198
Archosargus probatocephalus, 177
Archosargus rhombiodalis, 198
Argyrosomus hololepidotus, 280
Arius felis, 177
arsenic, 521, 533
Asplanchna brightwelli, 859
Astrapogon alutus, 198
Astrapogon puncticulatus, 198
Atchafalaya River, Louisiana, 541
Atherina breviceps, 280
Atherinomorus stipes, 198
Atherinops affinis, 769
Atlantic bottlenose dolphin, 241
Atlantic brief squid, 840
Atlantic menhaden, 161, 827
Atlantic rangia, 223
Atlantic silversides, 840
atmospheric input, 747
Aulostomus maculatus, 198
Aurelia aurita, 264
Aurora, North Carolina, 851
autotrophs, 898

bacterial abundance, 223
bacterial growth, 391
Baffin Bay, Texas, 391
Bairdiella chrysoura, 177
Baltic Coast, 53
Baltic Sea, 53, 104, 446
bar-built estuary, 335
baroclinic circulation, 53, 104
barotrophic, 53, 335
Barrington River, Rhode Island, 784
Bathygobius soporator, 177
bay anchovy, 840
Bay of Fundy, 827
Beaufort, North Carolina, 851
bedload transport, 496
Belize, Central America, 198
benthic fluxes, 547
benthic invertebrates, 799
benthic macrofauna, 247
benthic microalgae, 887
benthic vegetation, 703
Beyond the Limits, 919
[^{14}C]bicarbonate uptake, 718
biochemical oxygen demand, 703
biological mediation, 521
biologically-based salinity zones, 311
biomarkers, 416
Blackstone River, Rhode Island, 718
blue crab, 161, 840
blue mussels, 898
bluefin killifish, 216
bluegill, 216
Bodianus rufus, 198
Bothus lunatus, 198
Bothus ocellatus, 198
Brachionus angularis, 859
Brevoortia sp., 177
Brevoortia tryannus, 255, 697, 827
buoyancy-driven flow, 12
buoyant plume front, 40

δ^{13}C values, 898
^{14}C-label, 859
cadmium, 627, 683
Caffrogobius multifasciatus, 280
Calamus bajonado, 198
Calamus pennatula, 198
Calanus pacifus, 264
calcium, 459
calcium concentrations, 446
Callinectes sapidus, 840
Cancer magister, 769
Cancer productus, 769
Candacia sp., 264
Cantherhines pullus, 198
Canthigaster rostrata, 198
carbamate, 416
carbon flux, 405
carbon isotopes, 683
carbon : nitrogen ratio, 391
Cauvery Estuary, India, 459
Centropages abdominalis, 264
cesium, 608, 638, 653, 683, 873
Chaetodipterus faber, 198
Chaetodon capistratus, 198
Chaetodon ocellatus, 198
Changjiang River, China, 475
Chasmodes bosquianus, 177
Chasmodes saburrae, 177
Chesapeake Bay, 68, 223, 255, 311, 346, 362, 405, 521, 617, 683
Chilomycterus schoepfi, 177, 198
chinook salmon, 142
chlordane, 608, 653
chloride, 92, 475
chlorophyll *a*, 92, 346, 887
Choptank River, Maryland, 223, 346
chromium, 627, 653
circulation, 1
Citharichthys sp., 198
Citharichthys stigmaeus, 769
Cladium jamaicense, 216
Clevelandia ios, 769
Clinus superciliosus, 280
Clupea harengus pallasii, 769
coagulation, 383
coastal lake, 280
collaborative research, 913
condition index, 229, 362
conductivity, 68, 74
Connecticut River, 12
contaminant accumulation, 683
contaminants, 873
convergent circulation, 92
copepod(s), 68, 859
copper, 512, 521, 541, 589, 608, 627, 653, 678, 683, 873
cordgrass, 760, 815
Core Sound, 190
Coriolis force, 1
Corycaeus subtilis, 264
Coryphopterus glaucofraenum, 198
Coryphopterus nicholsii, 769
Coryphopterus sp., 198
Cottus asper, 769
cownose ray, 255
Crassostrea virginica, 229, 255, 362
Cryptotomus roseus, 198
Cumberland Island, Georgia, 375
current field, 40
current velocity, 53
currents, 40
cyanobacteria bloom, 859
Cyclops vernalis, 859

© 1993 Estuarine Research Federation

0160-8347/93/0400927-05$01.50/0

Cymatogaster aggregata, 769
Cynoscion nebulosus, 177, 697
Cynoscion regalis, 697
Cyprinodon variegatus, 216

Damalichthys vacca, 769
Dasyatis sabina, 177
dating methods, 670
dating sediment(s), 577, 589, 608, 617, 638, 670, 683
DDT, 577, 608
decomposition, 385, 391
Delaware Bay, 311, 683, 747
Delaware Estuary, 290
Delaware River, 235
density field, 74
density gradient(s), 40, 74
Dermocystidium marinum, 362
detrainment, 104
detritus, 391
Diapterus auratus, 177
diatoms, 617
dibenzo-*p*-dioxins, 427
dibenzofurans, 427
dichlorodiphenyltrichloroethane, 577, 608
Diodon holocanthus, 198
Diodon hystrix, 198
dioxin, 427
dispersion, 383
dissolved inorganic nitrogen, 346, 747
dissolved material(s), 475, 512
dissolved organic carbon, 290, 391, 567
dissolved organic phosphorus, 290
dissolved oxygen, 190, 290, 405, 433, 567, 703
dissolved phosphorus, 346, 453
dissolved reactive phosphorus, 290
dissolved silica, 453
dissolved sulfides, 567
Dissolved Transport Index, 475
Distichlis spicata, 851, 898
downwelling, 92
Duck, North Carolina, 851

ebb-tidal delta, 40
eelgrass, 898
egrets, 216
Eleocharis sp., 216
Elops saurus, 177
Embiotoca lateralis, 769
enclosures, 247
Engraulis mordax, 769
Enteromorpha, 898
entrainment, 104
epibenthic, 898
Epinephelus guttatus, 198
Epinephelus afer, 198
Epinephelus striatus, 198
Epiphanes, 859
epiphytic fungi, 385
equilibrium profile, 683
estuarine fisheries, 161
estuarine fronts, 1, 12
estuarine gradient, 346
estuarine-dependent species, 161
Eucinostomus sp., 198
Eucinostomus spp., 177
Eucyclogobius newberryi, 769
euphotic zone, 405
Euterpina acutifrons, 264
eutrophication, 247, 290
eutrophication history, 617
Evadne nordmanni, 264
Everglades, Florida, 216
Evorthodus lyricus, 177
exchange process, 335

Festa and Hansen model, 113
fiddler crabs, 784
fish aggregation, 142
fish assemblages, 177
fish behavior, 142
fish biomass, 280
fish community, 198
fish growth, 142
fish populations, 697
fish production, 161
fish yield, 161
Fistularia tabacaria, 198
flagfish, 216
floating dome technique, 433
Florida Bay, 703
flounder, 769
flushing times, 830
flux ratio, 475
freshwater discharge, 703
freshwater exchange, 739
freshwater inflows, 830
freshwater influence, 74
freshwater runoff, 126
freshwater-saltwater interface, 126
front dynamics, 104
frontal boundary, 68
frontogenesis, 74
fronts, 142
Fundulus confluentus, 216
Fundulus majalis, 840
fungi, 385, 851
furans, 427

Galeichthys feliceps, 280
Gambusia holbrooki, 216
Ganges Estuary, 453
gas transfer, 433
Gasterosteus acculeatus, 769
geochemistry, 459, 475, 488, 512, 541
geostrophy, 1
Gilchristella aestuaria, 280
gill net, 280
Glossogobius callidus, 280
Gobionellus bolesoma, 177
Gobionellus smaragdus, 177
Gobiosoma bosc, 177
Gobiosoma robustum, 177
goby, 769
grain size, 223
gravity currents, 12
grazing, 859
Great South Bay, Long Island, 335
Gulf menhaden, 161
Gulf of Mexico, 760, 799
Gulf of the Farallones, 559
gulls, 809
Gymnothorax moringa, 198
Gymnothorax vicinus, 198

haddock, 161
Haemulon flavolineatum, 198
Haemulon plumieri, 198
Haemulon sciurus, 198
Haemulon sp., 198
Haifa Bay, Israel, 488
Halichoeres bivittatus, 198
Halichoeres maculipinna, 198
haline front, 74
halocline, 104
Halodule wrightii, 302, 391
Haplosporidium nelsoni, 229, 362
harpacticoid copepod, 760
heavy metal anomalies, 496
heavy metals, 475, 488, 496, 512, 521, 541, 547, 559, 575, 653
herring, 769
hexachlorobenzene, 653
Hexarthra mira, 859
Hillsborough Bay, Florida, 627
Hippocampus erectus, 198
Hippocampus sp., 198
Hippocampus zosterae, 177
Histrio histrio, 177
Hog Island Bay, Virginia, 815
Holocentrus ascensionis, 198
Holocentrus coruscus, 198
Homarus americanus, 731
horizontal convergence, 92
Huanghe River, China, 475
Hudson River, New York, 433, 683
Huizache-Caimanero Lagoon, Mexico, 273
Humboldt Bay, California, 769
humic-like substances, 385
hydraulic residence time, 547
hydrodynamic regulating, 104
hydrodynamics, 1, 53
hydrographic, 83, 104
hydrographic monitoring, 83
Hyperprospon argenteum, 769
Hypoatherina harringtonesis, 198
Hypomesus pretiosus, 769
Hypoplectrus puella, 198
Hypoplectrus sp., 198
Hypoplectrus unicolor, 198
Hyporhamphus capensis, 280
Hyporhamphus unifasciatus, 177

Indian River Lagoon, Florida, 323, 739
interface, 126
interface conditions, 68
intrusions, 104
Irish Sea, 74
iron, 873
Isaac Creek, North Carolina, 190
Isochrysis galbana, 223
isotherm displacement, 68
isotherm pattern, 92
isotherms, 92

Jamaica Bay, New York, 608
James River, Virginia, 362, 683
Jenkinsia lamprotaenia, 198
Jenkinsia stolifera, 198
Jordanella floridae, 216
Juncus roemerianus, 851

Kattegat, 104
Kattegat-Skagerrak, 446
Kishon River, Israel, 488

Labidocera sp., 264
Lachnolaimus maximus, 198
Lactophrys polygonia, 198
Lactophrys quadricornis, 198
Lactophrys sp., 198
Lagodon rhomboides, 177
Laguna Madre, Texas, 302, 391
Lake Michigan, 92, 638
Lake Pontchartrain, Louisiana, 375
Land Margin Ecosystem Research (LMER), 913
Larus atricilla, 809
Larus delawarensis, 809
larval settlement, 223
laughing gulls, 809
lead, 577, 589, 608, 627, 638, 653, 670, 678, 683, 873
Łeba Estuary, Poland, 53
Leiostomus xanthurus, 177, 840
Lepidogobius lepidus, 769
Lepomis gulosus, 216
Lepomis macrochirus, 216
Leptocaris brevicornis, 760
Leptocottus armatus, 769
Leslie matrices, 697
Lichia amia, 280
life history strategies, 697
lift net, 280
light attenuation, 346
Lithognathus lithognathus, 280
Liverpool Bay, England, 74
Liza dumerilii, 280
Liza richardsonnii, 280
Lolloguncula brevis, 840
Long Beach, North Carolina, 851
Long Island Sound, 12, 683
long-term datasets, 789
Long-Term Ecological Research (LTER), 913
Lubbockia squillmana, 264
Lucania goodei, 216
Lucania parva, 177
Lucicutia flavicornis, 264
lunar periods, 789
Łupawa Estuary, Poland, 53
Lutjanus analis, 198
Lutjanus apodus, 198
Lutjanus griseus, 177, 198
Lutjanus synagris, 177, 198
Lutjanus vivanus, 198

macro-algal species, 898
macrofauna, 247
macrofaunal biomass, 391
Macrosetella sp., 264
Magelona, 799
magnesium, 459
management, 346, 703
mangrove, 198
marine fisheries, 161
marsh fishes, 216
marsh grass, 851
marsh killifish, 216
marsh macrophytes, 898
maximum turbidity zone, 653
Mecynocera clausi, 264
Mediterranean Sea, 488
meiofauna, 760
Menidia menidia, 840
Menidia peninsulae, 177
Mercenaria mercenaria, 255
mercury, 653, 873
mesozooplankton, 859
metal accumulation, 627
metal-organic complexes, 512
metals, 512
Microcystis aeruginosa, 859
Microgadus proximus, 769
Microgobius gulosus, 177
Micropogonias undulatus, 177, 697
Microsetella sp., 264
microzooplankton, 859
mining, 496
Mirex, 653
Mississippi River, Louisiana, 541, 799
Mobile Bay, Alabama, 40
Monacanthus cialatus, 198
Monacanthus hispidus, 177
Monacanthus tuckeri, 198
Monodactylus falciformis, 280
Monterey Bay, California, 83
Morisita-Horn similarity index, 177
Morone saxatilis, 142, 697
mosquitofish, 216
Mugil cephalus, 177, 280
Mugil curema, 840
mullet, 161
Mulloidichthys martinicus, 198
multivariate analysis, 311
mussel growth, 898
Mustelus henlei, 769
Mya arenaria, 255
mycorrhizal fungi, 851
Mycteroperca bonaci, 198
Mycteroperca microlepis, 177
Myrophis punctatus, 177
Mytilus edulis, 898
Myxus capensis, 280

Narragansett Bay, Rhode Island, 589, 718, 731, 830
nekton species, 840
nematodes, 760
neritic waters, 264
net production, 247
Neuse River, 190
New Jersey coast, 809
Newport River Estuary, North Carolina, 241
nickel, 512, 627, 653, 873
nitrate, 273, 290, 346, 718, 747, 799
nitrification, 718
nitrite, 718
nitrogen, 577, 747, 799
nitrogen flux, 405
nocturnal behavior, 809
North Inlet, South Carolina, 789, 840, 887
North Sea, 104
numerical model, 74, 113
numerical simulation, 335
nutrient depletion, 541
nutrient dynamics, 322
nutrient exchange, 273
nutrients, 346, 383, 541, 559

Oak Island, North Carolina, 851
oceanic fronts, 1
Ocyurus chrysurus, 198
Odiel River, Spain, 496
Odra Estuary, Poland, 53
Ogcocephalus nasutus, 198
Oikopleura longicauda, 264
Oithona atlantica, 264
Oithona similis, 264
Oligoplites saurus, 177
Onacaea sp., 264
Oncorhynchus kisutch, 769
Oncorhynchus tshawytscha, 142
Opisthonema oglinus, 177
Oregon Inlet, North Carolina, 851
organic carbon, 678
organic contaminants, 416
organic content, 223
organic matter degradation, 678
organochlorine pesticides, 416
organochlorines
organophosphate, 416
Orthopristis chrysoptera, 177
overturn, 68
oxic water, 567
oxygen depletion, 104
oxygen exchange, 433
oxygen metabolism, 247, 391
oxygen microelectrode techniques, 887
oxygenated waters, 405
oyster, 161, 229, 255

Pacific salmon, 161
Padilla Bay estuary, Washington, 898
paleoecological indicators, 617
Paracalanus quasimodo, 264
Paralichthys albigutta, 177
Paralichthys dentatus, 697
Paralichthys lethostigma, 177
Paraprionaspio pinnata, 799
Parophrys vetulus, 769
particle sources, 683
particulate carbon, 290
particulate materials, 475
particulate matter, 512
particulate organic carbon, 459
particulate organic nitrogen, 459
particulate phosphorus, 290
partition coefficients, 416
patchiness, 142
Patuxent River, Maryland, 521, 533
penaeid, 161

Peprilus triacanthus, 177
perch, 769
Perkinsus marinus, 362
persistent contaminants, 608
pesticides, 416
petroleum hydrocarbons, 416
Phaeoptyx conklini, 198
Phaeoptyx pigmentaria, 198
Phaeosphaeria halima, 385
Phaeosphaeria spartinicola, 385
Phanerodon furcatus, 769
phosphate(s), 459, 541, 559
phosphorus, 453, 521, 577
photopigments, 887
physiological adaptation, 1
physiology, 142
phytoplankton, 74, 290, 521, 859, 898
phytoplankton production, 104
Piney Point, Maryland, 405
Pinnotheres ostreum, 362
pipefish, 769
planktonic herbivory, 859
plant biomass, 703
Platichthys stellatus, 769
plume fronts, 12, 83
plutonium, 608
Podon intermedius, 264
Poecilia latipinna, 216
Polish Baltic Coast, 53
pollen, 617
pollution, 475, 488, 496, 512, 521, 547, 559, 567, 747
pollution effects, 697
pollution trends, 678
polyaromatic hydrocarbons, 575
Polyarthra remata, 859
polychlorinated biphenyls, 575, 577, 608, 653
polycyclic aromatic hydrocarbons, 427, 638, 653
Polydora sp., 229
Polydora websteri, 362
polynuclear aromatic hydrocarbons, 416
Pomacanthus arcuatus, 198
Pomacanthus paru, 198
Pomacentrus leucostictus, 198
Pomadasys commersonnii, 280
Pomatomus dentatus, 697
Pomatomus saltatrix, 280, 697
Pomeranian Gulf, 53
pore water, 323, 391, 815
potassium, 459
Potomac Estuary, 405
Potomac River, 859
pressure gradients, 53
primary production, 74, 405, 815, 887
Principal Component Analysis, 311
productivity, 1, 541, 815
profiling instrument, 190
Profiling Shallow Water Instrument Mounting System, 190
Providence River, Rhode Island, 718, 830
Psammogobius knysnaensis, 280
Pseudocalanus spp., 264
Pseudodiaptomus marinus, 264
Pseudupeneus maculatus, 198
PSWIMS, 190
pycnocline, 405

radiometric techniques, 670
Rangia cuneata, 223
Rappahannock, Virginia, 362
recolonized seagrass meadows, 177
recruitment, 731
red mangrove, 216
remote monitoring, 190
Rhabdosargus holubi, 280
Rhinoptera bonasus, 255
Rhizophora mangle, 216
ring-billed gulls, 809
river discharge, 346, 362, 416, 475, 488
river input, 290
rockfish, 769
rotifers, 760, 859

Sagitta sp., 264
sailfin molly, 216
Salicornia virginica, 898
salinity, 40, 53, 68, 113, 126, 190, 290, 345, 815
salinity fluctuation, 703
salinity intrusion, 113
salinity reduction, 302
salinity zones, 311
salmon, 161, 769
salt-marsh mitigation, 769
sampling regimes, 789
San Francisco Bay, California, 416, 547, 559, 567
San Pedro, Belize, 198
sanddab, 769
Sardinella aurita, 177
satellite imagery, 83
satellite images, 104
Savannah River, 683
sawgrass, 216
Scarus croicensis, 198
Scarus sp., 198
sciaenid, 161
Sciaenops ocellatus, 177, 255
Scomberomorus cavalla, 697
Scorpaena grandicornis, 177, 198
Scorpaena sp., 198
Scorpaenodes caribbeaus, 198
sculpin, 769
sea level fluctuations, 335
sea surface temperature, 83
seagrass, 177, 198, 302, 323, 391
seaperch, 769
seasonal cycle, 74
seasonal variation, 323
Sebastes melanops, 769
Sebastes mystinus, 769
Secchi depth, 290
secondary production, 898
sediment, 126, 405, 416, 427, 608
sediment aggregation, 1
sediment cores, 577, 589
sediment dating, 627
sediment deposition, 405
sediment dynamics, 1
sediment elevation, 375
sediment organic content, 703
sediment-trap material, 405
sediment-water nitrogen flux, 799
sedimentation rates, 617
sedimentation-erosion table, 375
sediments, 391, 488, 496, 577, 589, 617, 683, 703, 873
Serranus baldwini, 198
shad, 161
shear fronts, 12
sheepshead minnow, 216
shelf species, 161
shell infestation, 229
shell-boring polychaete, 229
shortnose sturgeon, 235
silica, 92, 459
silicate, 541, 559
silicon, 247, 453
silver, 547
simulation model, 697
size-selective predation, 264
smelt, 769
smooth cordgrass, 815
Snead's Ferry, North Carolina, 851
Snow's Cut, North Carolina, 851
sodium, 459, 475
sole, 769
sonic tracking, 235
source identification, 488
Sparisoma aurofrenatum, 198
Sparisoma radians, 198
Sparisoma viride, 198
Spartina, 375, 887
Spartina alterniflora, 385, 760, 815, 851
Spartina cynosuroides, 851
Spartina patens, 851
Spearman's r, 177
species shifts, 302
specific conductance, 459
Sphoeroides greeleyi, 198
Sphoeroides mephelus, 198
Sphoeroides nephalus, 177
Sphoeroides spengleri, 198
Sphoeroides testudineus, 198
Sphyraena borealis, 177
spikerushes, 216
Spirinchus starksi, 769
Spirinchus thaleichthys, 769
spot, 840
Spraisoma chrysopterum, 198
St. Johns River, Florida, 627
St. Lawrence Estuary, 873
St. Lawrence River, 653
Stenobrachius leucopsaurus, 769
stratification, 113, 126
stratified estuaries, 113
stratigraphic records, 617
striped anchovies, 840
striped bass, 142, 161
striped killifish, 840
Strongylura notata, 177
strontium, 873
submersed aquatic vegetation, 346
subtidal volume exchange, 335
subtropical lagoons, 273

sulfate, 450
sulfides, 567
sulphide mining, 496
summer flounder, 161
suppression of turbulence, 113
surface currents, 53
surface fronts, 12
surfperch, 769
suspended matter, 475
suspended particles, 405
suspended particulate matter, 126
suspended sediment, 113, 346, 416
suspended solids, 703
sustainable development, 919
Swartvlei Lake, Africa, 280
symbionts, 229
Symphurus plagiusa, 177
Syngathus caribbaeus, 198
Syngnathus leptorhynchus, 769
Syngnathus louisianae, 177
Syngnathus scovelli, 177
Syngnathus sp., 198
Synodus foetens, 198
Syringodium filiforme, 323
system production, 247
Szczecin Bay, Poland, 53

Tamar Estuary, United Kingdom, 126, 512
temperature, 40, 68, 74
temperature-induced scarcity, 216
Thalassiosira coseinodiscus, 405
thermal front, 92, 142
thermoregulation, 142
tidal cycle, 416
tidal flushing, 739
tidal fresh waters, 859
tidal front, 68
tidal influence, 789
tidal mixing, 12
tidal range, 74
tideless estuaries, 53
tides, 74
Tinto River, Spain, 496
Tites Point, Severn Estuary, England, 670, 678
Tomales Bay, California, 264
tomcod, 769
Tortanus discaudatus, 264
total carbon, 608
total dissolved solids, 459
total nitrogen, 273, 290, 608, 703
total organic carbon, 273, 405, 496, 617
total phosphorus, 273, 290, 703
total sulfur, 617
total suspended matter, 459
toxicity, 521
trace contaminants, 383, 453
trace element transformation, 521
trace elements, 512, 541
trace metals, 459, 488, 559, 567, 577, 873
trace minerals, 475
Tranchinotus falcatus, 177
transport, 475
trapping process, 113
Trichocerca similias, 859
Triglochin maritima, 898
Trinectes inscriptus, 198
Trinectes maculatus, 177
tuna, 161
turbidity maximum, 113, 126
turbulent diffusivity, 113
Tursiops truncatus, 241

Uca minax, 784
Uca pugilator, 784
Uca pugnax, 784
Ulva, 898
upwelling, 104
upwelling shadow, 83
Urolophus jamaicensis, 198

vanadium, 873
vegetation, 311
Venice System, 311
vernal thermal front, 92
vertical mixing, 126
vesicular-arbuscular mycorrhizae, 851
vocalizations, 241, 383
voltammetric techniques, 512

wading birds, 216
warmouth, 216
wastewater, 547
water quality, 1, 346
white mullet, 840
white shrimp, 161
wind mixing, 104
wind stress, 40, 53, 92, 335
wind-driven currents, 40
winter flounder, 161
Winyah Bay, South Carolina, 789

xenobiotic compounds, 575

yellowtail flounder, 161

York River, Virginia, 12, 362

Zhunjiang River, China, 475
zinc, 589, 627, 653, 678, 683, 873
zoeae, 784
zooplankton, 264
zooplankton grazing, 859
Zostera japonica, 898
Zostera marina, 898